



Dolby® Model DP570 Multichannel Audio Tool

Front-Panel Menu Reference



TABLE OF CONTENTS

Front-Panel Menus..... 1

 Top Level Setup Menu..... 1

 Program Config 2

 Measure Control 3

 Monitor Control..... 3

 Dolby Pro Logic II Menu..... 4

 User Presets Menu 4

 I/O Control Menu 5

 Router Config Submenu 5

 GPI/O Setup Submenu..... 6

 Monitor Config Menu 7

 Speaker Config Submenu..... 7

 Speaker Trims Submenu 8


Status Menu 9

Front-Panel Menus

This document illustrates the DP570 front-panel menus as trees, divided into subsections for clarity. The blue boxes are hyperlinks to menu subsections.

The first section covers the Setup menu. The second covers the Status Menu.


Top Level Setup Menu



Program Config

Program Configurations	
5.1 + 2	4 + 2
5.1 + 2 × 1	4 + 2 × 1
4 + 4	3 × 2
4 + 2 × 2	2 × 2 + 2 × 1
4 + 2 + 2 × 1	2 + 4 × 1
4 + 4 × 1	6 × 1
4 × 2	4
3 × 2 + 2 × 1	2 + 2
2 × 2 + 4 × 1	2 + 2 × 1
2 + 6 × 1	4 × 1
8 × 1	External 1
5.1	External 2


Metadata Params




Parameter Selecton Order

1. Dialogue Lev	11. Room Type	21. DC Filter
2. Channel Mode	12. Copyright	22. Lowpass Filt
3. LFE Channel	13. Original Bitstrm	23. LFE Filter
4. Bitstrm Mode	14. Pref Dwnmx	24. Srnd 3dB Attn
5. Line Mode Pro	15. Lt/Rt C Dwnmx	25. Srnd Ph Shift
6. RF Mode Pro	16. Lt/Rt S Dwnmx	
7. RF Ov Protect	17. Lo/Ro C Dwnmx	
8. Dolby Srnd	18. Lo/Ro S Dwnmx	
9. Audio Prod Info	19. Dolby Srnd EX	
10. Mixing Level	20. A/D Conv Type	


Measure Control




Monitor Control




Pro Logic II Menu




User Presets Menu




I/O Control Menu



Router Config Submenu




GPI/O Setup Submenu




Available Functions

- Preset Select (1–32)
- Downmix Mode (Full, Stereo, Mono, Phant, 3-Stereo)
- Pro Logic
- Pro Logic Mode
- Srnd EX
- Custom Compression
- Line Compression
- RF Compression
- Program Select (1–8)
- Speaker Select (Multi, Stereo, Mono)
- Speaker Mute (L, R, C, SW, Ls, Rs, Bs)
- Dim/Mute
- Ref Level
- Leq(A) Pause
- Leq(A) Reset
- Set Dialogue Level
- Emulator Bypass
- Router Delay
- Lt/Rt Input


Monitor Config Menu




Speaker Config Submenu



Speaker Trims Submenu



Status Menu



Dolby Laboratories, Inc. • 100 Potrero Avenue • San Francisco, CA 94103 USA • Telephone 415-558-0200 • Fax 415-863-1373
Wootton Bassett • Wilshire SN4 8QJ England • Telephone (44) 1793-842100 • Fax (44) 1793-842101

Dolby and the double-D symbol are registered trademarks of Dolby Laboratories. © 2006 Dolby Laboratories, Inc. S06/17630